Angelus | PAVING STONES
Since 1946

AngelusPavingstones.com

SOUTHERN CALIFORNIA
**OUTDOOR LIVING**
PAVERS & WALLS

Turfstone

Turfstone's grid pattern allows grass to grow while protecting the root system from compaction by vehicular traffic. It is ideal for greenbelts that require occasional vehicle use such as overflow parking and fire access lanes. Turfstone pavements with established grass reduces stormwater runoff and lowers the reflected temperatures associated with impenetrable surfaces.

Stocked Colors:
Gray

Shown: This Gray Turfstone is filled with artificial turf for a greenbelt appearance where reduced maintenance and water use is desired.

Turfstone
15.60" x 23.50"

Turfstone	80 mm
Size (in inches)	15.60 x 23.50
Sq Ft per Stone	2.56
Stones per Sq Ft	.39
Sq Ft per Pallet	104
Stones per Pallet	40
Weight per Stone	52 lbs
Weight per Pallet	2184 lbs

For custom color options contact your Angelus Sales Representative at:

(951) 328-9115 or
(805) 485-1137

Visit AngelusPavingstones.com for more information about Related Pavers & Walls Products.

SF Rima

Permeable Holland

Joint Sand

TURFSTONE
Solid Colors (swatches shown in Antique Cobble I)

GRAY

**AVAILABLE WITH
RECYCLED CONTENT**

Angelus | PAVING STONES
Since 1946

www.angeluspavingstones.com

Turfstone Runner

100% Turfstone

Approximate scale: 1/4 in. = 1 ft.   Layout shown derived from available cad hatch file (.pat). Please contact your Representative for more information.

Approximate scale: 1/4 in. = 1 ft.   Layout shown derived from available cad hatch file (.pat). Please contact your representative for more information.